TOPICAL ANAESTHETIC CONSENT FORM



What is topical anaesthetic?

- A topical anaesthetic is a form of anaesthetic used to numb the skin.
- It will be applied to the surface of the skin, not injected.

During the treatment

- The topical anaesthetic will be placed over the treatment area before the treatment commences, then carefully removed prior to the treatment.
- The effects of the anaesthetic vary from individual to individual. We cannot
 guarantee that you will not experience any discomfort or pain during the treatment
 and we will not be held liable if the treatment area does not numb.

Allergic reactions/risks

- Allergic reactions can occur from any topical anaesthetics used during the course
 of the treatment.
- If you do suffer from an allergic reaction during the treatment, you should notify
 your technician as soon as possible and contact your doctor immediately. If the
 reaction is very severe you should go to your nearest Accident and Emergency.
- An allergic reaction response may display redness, itching, swelling, a rash, blistering, dryness or any other symptom associated with an allergy.

After the treatment

- As a result of the permanent cosmetics treatment, combined with the use of the anaesthetic, you can expect to experience swelling and redness that could last between one to five days. You should always follow your post treatment instructions.
- For eyeliner treatments you will be asked to keep your eyes closed throughout the numbing period. If for some reason the topical anaesthetic gets into the eye, you must advise your technician at once. The cream will be removed and your eyes will be immediately flushed with a sterile saline solution. It is then safe for the topical anaesthetic to be reapplied.
- NOTE: If you experience stinging in the eyes and do not inform your technician immediately, the anaesthetic may numb the eyeball, and a possible corneal abrasion may occur. This can result in a temporary streaming and light sensitivity of the eyes. You may be unable to open your eyes and each time you blink it may be painful and temporary blurry vision may occur. Corneal abrasion, however, is rare. If you experience any of these symptoms, inform your technician and visit your Doctor immediately.

I have read and fully understood the above and the risks involved with the use of topical anaesthetics and consent to the application and use of the anaesthetic for my permanent cosmetic treatment.

The same of	Client name	Signature	Date
	Technician name	Signature	
		3	